

MAJOR PRODUCT CHANGES

OVERVIEW

The 2021 Super Duty® Chassis Cab reinforces the long tradition of F-Series toughness and continues to meet the needs of a multitude of commercial vocations, as well as personal use towing customers. Trademark "Built Ford Tough®" attributes such as capability to get the job done, quality, reliability, power, breadth and depth of product choices are solidly behind Chassis Cab users.

To learn more about the features on this vehicle, go to www.fordsourcebook.com

MODEL/SERIES/AVAILABILITY

- XL, XLT, Lariat

MECHANICAL

- ★ **New/Changed**
 - None
- **Deleted**
 - None

EXTERIOR

- ★ **New/Changed**
 - Manual Telescoping, Folding Trailer Tow Mirrors with Power/Heated Glass, Heated Convex Spotter Mirror (54K) are standard on XL with the power equipment group (90L) and XLT
 - Front License Plate Bracket (153) – Standard in states requiring two license plates and optional to all others
- **Deleted**
 - Windshield De-icer
- ★ **New Colors**
 - Antimatter Blue (HX)
 - Carbonized Gray (M7)
 - Lithium Gray (TB)
- **Deleted Colors**
 - Blue Jean
 - Magnetic
 - Silver Spruce

INTERIOR/COMFORT

- ★ **New/Changed**
 - 10-way power passenger seating replaced with 8-way
 - Floor Mats, All-Weather (Doesn't include carpet floor mats) (16T) – optional on XLT and Lariat
- **Deleted**
 - Center armrest storage

SAFETY/SECURITY

- ★ **New/Changed**
 - None
- **Deleted**
 - None

FORD CO-PILOT360™ TECHNOLOGY

- ★ **New/Changed**
 - Pre-Collision Assist with Automatic Emergency Braking (AEB), Automatic High Beam and Forward Collision Warning now available on F-600
 - Audible Lane Departure Warning now available on F-600

FUNCTIONAL

- ★ **New/Changed**
 - None

PACKAGES

- ★ **New/Changed**
 - None
- **Deleted**
 - None

Product Changes and Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com for the most current information.

MAJOR PRODUCT SUMMARY

The all-new 2021 F-SUPER DUTY® reinforces the tough image of the F-Series and continues to meet the needs of both commercial and personal use towing customers.

The following equipment is standard as indicated. Each series includes the standard equipment of the previous series, except where otherwise noted:

XL	XL ¹	LARIAT
MECHANICAL <ul style="list-style-type: none"> Brakes – Four-wheel Disc Brakes; Anti-lock Brake System (ABS) Electronic-Shift-On-the-Fly (ESOF) (4x4 only) Engine <ul style="list-style-type: none"> 6.2L 2 Valve Gas SOHC EFI NA V8 (Flex-Fuel) (F-350) 7.3L 2V DEVCT NA PFI V8 Gas (F-450/F-550/F-600) Transmission – Ten-Speed Automatic Transmission with Neutral Idle and Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery EXTERIOR <ul style="list-style-type: none"> Bumper – front, black painted Fender vents – front Fuel Tank <ul style="list-style-type: none"> 26.5 gallon mid ship (F-350 SRW) 40 gallon aft axle (F-350 DRW/F-450/F-550/F-600) Glass – solar-tinted Grille – black painted Scuff plates – front, color-coordinated Splash Guards/Mud Flaps – Front (F-450/550/F-600 only) "Three Blink" Lane change signal Tow hooks – front (2) Trailer wiring – 7 wire harness w/relays, blunt cut & labeled Wheels <ul style="list-style-type: none"> F-350 SRW – 18" Argent Painted Steel wheel w/Painted Hub Cover/Center Ornaments F-350 DRW – 17" Argent Painted Steel (hub covers/center ornaments not included) F-450, F-550 & F-600 – 19.5" Argent Painted Steel Manual Locking Hubs (4x4) Windshield Wipers – intermittent INTERIOR/COMFORT <ul style="list-style-type: none"> 2.3" Productivity Screen in IP Cluster Instrumentation Center – Multi-function switch message center display with Ice Blue® Lighting 12V Powerpoint, auxiliary Air conditioning – single-zone, manual Air conditioning vents – black w/chrome ring and knob Cabin Air Particulate Filter Door-trim – armrest/grab handle and reflector Floor covering – black, full length vinyl Mirror – rearview 11.5" day/night Outside Temperature Display Seat – Front, HD vinyl, 40/20/40 split bench w/center armrest and cupholder (manual lumbar – driver's side) Steering – power Steering wheel – black urethane with tilt and telescoping steering wheel/column; includes three (3) button message control Sun visors – color-coordinated vinyl, driver w/pocket, passenger w/uncovered mirror insert with 6 inch overhead Uppitter switches – 6 located in Overhead Console Window – Rear, fixed SAFETY/SECURITY <ul style="list-style-type: none"> AdvanceTrac® with RSC® (Roll Stability Control™) Belt-Minder® (front safety belt reminder) Driver and passenger frontal airbag; passenger side deactivation switch Headlamps – Quad beam jewel effect halogen Lamps – Roof marker/clearance – LED Mirrors – manually telescoping two-way fold trailer tow with manual glass Safety Belts – w/height adjustment (front-outboard seating positions only) Safety Canopy® System (incl. side-curtain airbags) Stationary Elevated Idle Control (SEIC) SOS Post-Crash Alert System™ Underhood service light FORD CO-PILOT360™ TECHNOLOGY <ul style="list-style-type: none"> AutoLamp – Auto On/Off Headlamps FUNCTIONAL <ul style="list-style-type: none"> Alternators: <ul style="list-style-type: none"> 6.2L 2 Valve Gas – 200 AMP 7.3L 2 Valve Gas – 240 AMP 6.7L 4 Valve OHV Power Stroke® V8 Turbo Diesel – 220 AMP Audio – AM/FM stereo (four (4) speakers) FordPass™ Connect 4G Wi-Fi Modem <ul style="list-style-type: none"> 4G LTE Wi-Fi hotspot connects up to 10 devices¹ Remotely start, lock and unlock vehicle² Schedule specific times to remotely start vehicle² Locate parked vehicle² Check vehicle status² <i>Note: Ford Telematics™ and Data Services Prep included for Fleet Only: FordPass™ Connect 4G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts. Device enables telematics services through Ford or authorized providers. Activate at www.fleet.ford.com or call 833-FCS-FORD or 833-327-3673.</i> Stabilizer bars – front & rear SYNC® <ul style="list-style-type: none"> Enhanced Voice Recognition Communication and Entertainment 911 Assist® 4.2" LCD Center Stack screen AppLink® Smart-Charging USB-C port – one (1) 	All XL content, plus: EXTERIOR <ul style="list-style-type: none"> Bumper – front, chrome Grille – two (2) bar, bright chrome Wheels – F-350 SRW – 18" Argent Painted Steel Wheel w/Painted Hub Cover/Center Ornaments INTERIOR/COMFORT <ul style="list-style-type: none"> 4.2" LCD Productivity Screen in IP Cluster w/Compass display Auxiliary audio input jack Door-trim – soft armrest, grab handle, power window/lock switches and reflector; front map pockets on Regular Cab and SuperCab; front and rear map pockets on Crew Cab Floor covering – color-coordinated full carpet Floor mats – color-coordinated carpet Power Equipment Group – 1st row (front-seat) windows w/one-touch up/down, power 2nd row (rear-seat) windows (Super/Crew Cab); power/door-locks w/backlit switches & accessory delay Seats, Front <ul style="list-style-type: none"> Front, high-series cloth 40/20/40 split bench – 20% center under-seat storage, w/center armrest, cupholder and storage Two-way adjustable driver/passenger headrests Sun visors – Color-coordinated cloth, both driver and passenger w/covered mirrors Window – rear, fixed privacy glass SAFETY/SECURITY <ul style="list-style-type: none"> Advanced Security Pack Mirrors – manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signals MyKey® owner controls feature Remote keyless entry SecuriLock® Passive Anti-Theft System (PATS) FORD CO-PILOT360™ TECHNOLOGY <ul style="list-style-type: none"> Cruise control (steering wheel-mounted) FUNCTIONAL <ul style="list-style-type: none"> Audio – AM/FM stereo MP3 player & five (5) speakers w/Reg Cab, seven (7) speakers w/Super/Crew Cabs SiriusXM® Radio³ <ul style="list-style-type: none"> <i>Note: Includes a 6-month prepaid subscription. Service is not available in Alaska or Hawaii.</i> SYNC® 3 <ul style="list-style-type: none"> Enhanced Voice Recognition Communications and Entertainment System 8" LCD Capacitive Touchscreen in Center Stack with Swipe Capability Pinch-to-Zoom capability included with available Voice-Activated Touchscreen Navigation System AppLink® 911 Assist® Apple CarPlay™ and Android Auto™ Smart Charging USB-C Ports – two (2) <i>Note: SYNC® AppLink® lets you control some of your favorite compatible mobile apps with your voice. It is compatible with select smartphone platforms. Commands may vary by phone and AppLink® softwares</i> Trailer Brake Controller 	All XLT content, plus: EXTERIOR <ul style="list-style-type: none"> Fog lamps Grille – two (2) bar, chrome (includes additional chrome inserts) Handles – door, body-color Wheels <ul style="list-style-type: none"> F-350 SRW – 18" Bright Machined Cast Aluminum w/Magnetic Painted Pockets and Bright Hub Covers/Center Ornaments F-350 DRW – 17" Forged Polished Aluminum w/bright hub covers/center ornaments F-450/F-550 – 19.5" Forged Polished Aluminum w/bright hub covers/center ornaments INTERIOR/COMFORT <ul style="list-style-type: none"> 110V/400W outlets; one (1) dash mounted and one (1) in rear console Air conditioning – Dual-Zone Electronic Automatic Temperature Control (DEATC) Air conditioning vents – painted obsidian with chrome ring Instrumentation Center – 8" LCD Productivity Screen with steering wheel-mounted five (5) button control; includes compass and menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applications Mirror – rearview, electrochromic self-dimming Power-Adjustable Pedals Seats, Front <ul style="list-style-type: none"> Leather seating surfaces, 40/Console/40 10-way power driver & 8-way front-passenger seats (six-way power-adjustable track, two-way power recline and two-way power lumbar) Seats, Rear <ul style="list-style-type: none"> Armrest with cupholders (Crew Cab) Rear under-seat storage (SuperCab); floor fold-flat and locking (Crew Cab) Steering wheel – leather-wrapped, color-coordinated Sun visors – color-coordinated cloth; both driver and passenger w/covered illuminated visor vanity mirrors Window – rear, power-sliding with privacy glass and defrost SAFETY/SECURITY <ul style="list-style-type: none"> Autolock, Auto unlock Mirrors – Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights and body-color skull caps) SecuriCode™ keyless entry keypad FUNCTIONAL <ul style="list-style-type: none"> Alternators: <ul style="list-style-type: none"> 6.2L 2 Valve Gas – 240 AMP 7.3L 2V DEVCT NA PFI V8 Gas (F-450/F-550) – 397 AMP Audio – B&O Sound System by Bang & Olufsen – ten (10) speakers and subwoofer

Please see Standard Equipment pages for more details.

¹ Includes a complimentary trial subscription of 3 months or 3 gigabytes – whichever comes first, Wireless Service Plan required after trial subscription ends. Visit att.com/ford to start complimentary trial and sign up for a Wireless Service Plan

² Includes Service for one year from the vehicle sale date as recorded by the dealer

³ Subscriptions to all SiriusXM® services are sold by SiriusXM after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. Sirius, XM and all related marks and logos are trademarks of SiriusXM Radio Inc

Product Features Availability

Features, options and package content subject to change.

★ = New for this model year

2021 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600) STANDARD EQUIPMENT

The following features are standard on every 2021 SUPER DUTY® Chassis Cab vehicle:

MECHANICAL

- Brakes – Four-wheel Disc Brakes with Anti-Lock Brake System (ABS)

EXTERIOR

- Doors
 - Two (Regular Cab only)
 - Four (SuperCab/Crew Cab only)
- Fuel Tank
 - 26.5 gallon mid ship (F-350 SRW)
 - 40 gallon aft axle (F-350 DRW/F-450/F-550/F-600)
 - Diesel Exhaust Fluid (DEF) Tank Location:
 - Aft-of-axle fuel tank is paired with the DEF tank located in the mid ship location, between the frame rails.
 - Mid ship fuel tank is paired with the DEF tank located outside of the frame rail
 - Dual tanks are paired with the DEF tank located outside of the frame rail
- Glass
 - Solar-tinted complete (Std. on XL)
 - Privacy (Std. on XLT and Lariat; NA front-seat windows)
- Manual Locking Hubs (4x4)
- Scuff plates – front, color-coordinated
- "Three-Blink" lane change signal
- Tow hooks – front, (two) (2)
- Trailer wiring – 7 wire harness w/relays, blunt cut and labeled
- Windshield wipers – intermittent

INTERIOR/COMFORT

- Convenience
 - Coat hooks, LH/RH color-coordinated
 - Dash top tray
 - Dome lamp – LH/RH door activated & I/P switch operated w/delay
 - Handles, grab – driver & front-passenger
 - Handles, roof ride – front-passenger (also over rear-doors on Crew Cab)
 - Map lights – dual (front and rear w/Crew Cab)
 - 12V Powerpoint, auxiliary
- Door-trim – color-coordinated molded w/grab handle & reflector
- Gauges and Meters – Fuel, Transmission Temperature, Engine Coolant Temperature, Oil Pressure (Gas engine) and Turbo (Diesel engine) Gauges; Speedometer, Odometer and Tachometer

INTERIOR/COMFORT (continued)

- Headliner – color-coordinated cloth
- Instrument panel – color-coordinated w/ glove box, four (4) air registers w/positive shut-off and powerpoint
- Instrumentation Center
 - 2.3" LCD Productivity Screen in IP Cluster (standard on XL)
 - 4.2" LCD Productivity Screen in IP Cluster (standard on XLT)
 - 8.0" LCD Productivity Screen in IP Cluster (Standard on Lariat)
- Overhead Console with 6 Upfitter Switches
- Steering – power
- Steering damper

SAFETY/SECURITY

- AdvanceTrac® with RSC® (Roll Stability Control™)
- Airbags
 - Driver and Passenger frontal and side airbag/curtain
 - Passenger side airbag deactivation switch
- Child tethers (Regular Cab front-passenger and all rear-seating positions)
- Lamps – LED Roof marker/clearance
- Safety Belts
 - Belt-Minder® (front safety belt reminder) – chime and flashing warning lights on I/P if belts not buckled
 - Color-coordinated safety belts w/height adjustment (front-outboard seating positions only)
- SecuriLock® Passive Anti-Theft System (PATS); includes MyKey® owner controls feature (XLT and Lariat Only)
- SOS Post-Crash Alert System™
- Stationary Elevated Idle Control (SEIC)

FUNCTIONAL

- Alternator
 - 200 Amp (F-350 Std. on 6.2L Gas w/ XL/XLT)
 - 240 Amp (F-350 Std. on 6.2L Gas w/ Lariat)
 - 240 Amp (F-450/F-550/F-600 Std on 7.3L Gas w/ XL & XLT)
 - 397 AMP (F-450/F-550 Std. on 7.3L Gas w/Lariat)
- Hood release
- Horn – dual electric
- Intelligent Oil-Life Monitor® (6.7L Power Stroke® Diesel engine)
- Oil minder system (6.2L Gas engine)
- Shock absorbers – heavy-duty gas
- Springs, rear auxiliary
- Stabilizer bar – front and rear

The following features are standard on selected 2021MY SUPER DUTY® Chassis Cab vehicles:

MECHANICAL	XL	XLT	LARIAT
Engine			
6.2L 2 Valve Gas SOHC EFI NA V8 (Flex-Fuel) (F-350)	•	•	•
7.3L 2V DEVCT NA PFI V8 Gas (F-450/F-550/F-600)	•	•	•
Transmission			
Ten-Speed 10R140 with Neutral Idle Automatic Transmission with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery	•	•	•
Base Alternator			
200 Amp (F-350 Std. on 6.2L Gas Engine)	•		
240 Amp (F-450/F-550/F-600 Std. on 7.3L Gas Engine)	•		
240 AMP (F-450/F550 Std. on 6.7L Diesel Engine)	•		
240 Amp (F-350 Std. on 6.2L Gas Engine)		•	•
332 AMP Dual (F-450/F-550 Std. on 6.7L Diesel)		•	•
397 AMP (F-450/F-550 Std. on 7.3L Engine)		•	•
Axle			
Monobeam front axle w/coil spring suspension (F-350 4x4, F-450, F-550 and F-600)	•	•	•
Independent Twin-I-beam front axle w/coil spring suspension (F-350 4x2)	•	•	•
Battery			
650 CCA, 72 AH (6.2L Gas engine only) (F-350 XL SRW/DRW)	•		
750 CCA, 78 AH Single (6.2L Gas F-350 SRW/DRW XLT & Lariat)		•	•
750 CCA, 78 AH Single (7.3L Gas F-450, F-550, F-600 XL & XLT)		•	•
750 CCA, 78 AH, Dual (7.3L 2V DEVCT NA PFI V8 Gas F-450 and F-550 Lariat)			•

★ = New for this model year

• = Available

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

2021 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)
STANDARD EQUIPMENT

MECHANICAL (continued)	XL	XLT	LARIAT
Fuel Tanks			
26.5 gallon mid ship (F-350 SRW w/68D Payload Downgrade Pkg)	•	•	•
40 gallon aft axle (F-350 SRW/F-350 DRW/F-450/F-550/F-600; NA with 68D Payload Downgrade Pkg. on F-350 SRW)	•	•	•
KEY EXTERIOR FEATURES			
Bumper – Front			
Black painted steel w/grained MIC top cover and black lower air dam	•		
Chrome w/grained MIC top cover and black lower air dam		•	•
Grille			
Black MIC	•		
Bright Chrome – two (2) bar		•	
Chrome – two (2) bar (includes additional chrome inserts)			•
Handles – Door and Tailgate			
Black	•	•	
Body-color			•
Headlamps/Tailamps/Lamps			
Quad-beam halogen jewel effect	•	•	•
Center High-Mounted Stop Lamp (CHMSL) (Standard on vehicles 10k GVWR and below)	•	•	•
Fog lamps			•
LED Roof Marker/Clearance Lamps	•	•	•
Utility Lighting System (LED Side-mirror Spotlights) (see mirror descriptions below)			•
Mirrors			
Manually telescoping/folding trailer tow with manual glass	•		
Manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror		•	
Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights)			•
Wheels (SRW)			
18" Argent Painted Steel w/painted hub covers/center ornaments (F-350)	•		
18" Sparkle Silver Painted Cast Aluminum w/bright hub covers/center ornaments (F-350)		•	
18" Bright Machined Cast Aluminum w/Magnetic Painted Pockets and bright hub covers/center ornaments (F-350)			•
Wheels (DRW)			
17" Argent Painted Steel (hub covers/center ornaments not included (F-350)	•	•	
17" Forged Polished Aluminum w/bright hub covers/center ornaments (F-350)			•
19.5" Argent Painted Steel (F-450/F-550/F-600)	•	•	
19.5" Forged Polished Aluminum w/bright hub covers/center ornaments (F-450/F-550)			•
Windows and Glass			
1 st Row (front-seat) – Manual	•		
1 st Row (front-seat) – Power w/one-touch up/down		•	•
2 nd Row (rear-seat) – Fixed	•(2)		
2 nd Row (rear-seat) – Power		•(2,3)	•(2,3)
Rear (backlight) – Fixed	•	•	
Rear (backlight) – Power-sliding w/defrost			•
Solar-tinted glass (complete)	•		
Privacy glass, (rear backlight on all cabs; 2 nd Row (rear-seat) windows on SuperCab and Crew Cab. Other glass is solar-tinted.)		•	•
KEY INTERIOR/COMFORT FEATURES			
Air Conditioning			
Manual, Single Zone	•	•	
Dual-Zone Electronic Automatic Temperature Control (DEATC)			•

2021 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)
STANDARD EQUIPMENT

KEY INTERIOR/COMFORT FEATURES (continued)	XL	XLT	LARIAT
Audio			
AM/FM stereo MP3 Player(speakers; four (4) w/ Regular Cab, six (6) w/ SuperCab and Crew Cab)	•		
AM/FM stereo MP3 player (speakers; five (5) with Regular Cab, seven (7) with SuperCab and Crew Cab)		•	
SiriusXM® Radio ¹ (speakers; adds one (1) I/P mounted center speaker on XLT only) Note: Includes a 6-month prepaid subscription. Service is not available in Alaska and Hawaii.		•	•
B&O Sound System by Bang & Olufsen (incl. 10 speakers and subwoofer)			•
SYNC® – Enhanced Voice Recognition Communications and Entertainment System – 911 Assist® – 4.2 LCD Center Stack screen – AppLink® – Smart-Charging USB-C port – one (1)	•		
SYNC® 3 – Enhanced Voice Recognition Communications and Entertainment System – 8" LCD Capacitive Touchscreen in Center Stack with Swipe Capability – Pinch-to-Zoom capability included with available Voice-Activated Touchscreen Navigation System – AppLink® – 911 Assist® – Apple CarPlay™ and Android auto™ – Smart-Charging USB-C Ports – two (2) Note: SYNC® AppLink® lets you control some of your favorite compatible mobile apps with your voice. It is compatible with select smartphone platforms. Commands may vary by phone and AppLink® software.		•	•
★ FordPass™ Connect 4G – Wi-Fi Modem – Wi-Fi® hotspot connects up to 10 devices ² – Remotely start, lock and unlock vehicle ³ – Schedule specific times to remotely start vehicle ³ – Locate parked vehicle ³ – Check vehicle status ³ Note: Ford Telematics™ and Data Services Prep included for Fleet Only: FordPass™ Connect 4G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts. Device enables telematics services through Ford or authorized providers. Activate at www.fleet.ford.com or call 833-FCS-FORD or 833-327-3673.	•	•	•
Cupholders			
Dual, instrument panel-mounted	•	•	•
Integrated w/armrest on rear-seat			•(3)
Door-Trim			
Armrest, grab handle and reflector	•		
Soft armrest, grab handle, power window/lock switches and reflector; front map pockets on Regular Cab and SuperCab; front and rear map pockets on Crew Cab		•	•
Floor Covering			
Black vinyl	•		
Color-coordinated carpet and carpeted floor mats (includes rear mats on SuperCab & Crew Cab) (deleted when all-weather floor mats are ordered)		•	•
Instrumentation Center			
2.3" Productivity Screen display includes menus for Multi-function switch message center w/Ice Blue® Lighting (three (3) button message control on steering wheel)	•		
4.2 Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applications five (5) button message control on steering wheel (included with the SYNC® and SYNC® Services)		•	
8.0" Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applications; five (5) button message control on steering wheel (included with the SYNC® and SYNC® Services)			•
Manual door-locks and windows	•		
Overhead Console – with dual storage bin and map lights	•	•	•

¹ Subscriptions to all SiriusXM® services are sold by SiriusXM after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc.

² Includes a trial subscription of 3 months or 3 gigabytes – whichever comes first, Wireless Service Plan required after trial subscription ends

³ Includes Service for one year from the vehicle sale date as recorded by the dealer

★ = New for this model year
 • = Available

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

2021 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)
STANDARD EQUIPMENT

KEY INTERIOR/COMFORT FEATURES (continued)	XL	XLT	LARIAT
<u>Power Equipment</u>			
Accessory delay		•	•
Door-locks w/backlit switches		•	•
Windows w/backlit switches		•	•
<u>Powerpoint and 110V/400W Outlet</u>			
One (1) Powerpoint in front center under-seat storage		•	
Two (2) Powerpoints in instrumentation center	•	•	•
Two (2) Powerpoints in rear side of Flow-through Console			•
110V/400W Outlet dash mounted			•
110V/150W Outlet in rear side of Flow-through Console			•
110V/150W Inverter outlet in IP			•
<u>Rearview Mirror</u>			
11.5" day/night	•	•	
Electrochromic self-dimming			•
<u>Seats (Front)</u>			
HD vinyl, 40/20/40 split bench w/center armrest and cupholder	•		
Cloth, 40/20/40 split bench, 20% center under-seat storage, w/center armrest, cupholder and storage		•	
Leather seating surfaces, 40/Console/40			•
Manual lumbar support, driver's side	•	•	
10-way power driver & 8-way power front-passenger seats (six-way power-adjustable track, two-way power recline and two-way power lumbar)			•
Two-way adjustable driver/passenger headrests		•	•
<u>Seats (Rear) SuperCab</u>			
Vinyl, 60/40 fold-up bench seat	•		
Cloth, 60/40 fold-up bench seat		•	
Premium vinyl seating surfaces, 60/40 fold-up bench seat			•
<u>Seats (Rear) Crew Cab</u>			
60/40 bench w/flip-up/fold-down w/2 outboard head restraints and a center head restraint	•		
60/40 bench w/flip-up seats & fold-down backrests, two (2) outboard head restraints and a center head restraint.		•	
60/40 bench w/flip-up seats & fold-down backrests w/under-seat partitioned lockable fold-flat storage, two (2) outboard head restraints and a center head restraint. Dual integrated cupholders in armrest			•
Vinyl	•		
Cloth		•	
Leather			•
<u>Steering Wheel</u>			
Urethane – Black – w/redundant audio and SYNC® controls	•	•	
Leather-Wrapped – w/redundant audio and SYNC® controls (Lariat, color-coordinated)			•
Cruise Control (steering wheel-mounted)		•	•
Manual Tilt and Telescoping steering wheel/column	•	•	•
<u>Sun Visors</u>			
Color-coordinated vinyl, driver w/pocket, passenger w/uncovered mirror	•		
Color-coordinated Cloth, both driver and passenger w/covered mirrors		•	
Color-coordinated Cloth; both driver and passenger w/covered illuminated visor vanity mirror			•
SAFETY/SECURITY	XL	XLT	LARIAT
AdvanceTrac® with RSC® (Roll Stability Control™)	•	•	•
Advanced Security Pack (incl. Inclination / Intrusion Sensors)		•	•
AutoLamp (Auto On/Off Headlamps), Rainlamp Wiper Activated Headlamps	•	•	•
Autolock, Auto unlock		•	•
Remote Keyless Entry		•	•
SecuriLock® Passive Anti-Theft System (PATS)		•	•
Trailer Sway Control and Hill Start Assist	•	•	•
<u>Airbags</u>			
Driver & Passenger side	•	•	•
Passenger-side deactivation switch	•	•	•

2021 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)
FUNCTIONAL EQUIPMENT

AXLE AVAILABILITY

Series	Engine	Transmission	Non-Limited-Slip			Limited-Slip			Electronic-Locking	
			3.73	4.10	4.88	4.10	4.30	4.88	3.73	4.30
			X37	X41	X48	X4N	X4L	X8L	X3E	X4M
F-350 SRW	6.2L 2V Gas SOHC EFI NA V8	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	—	—	—	—	—	O	O
	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	—	—	—	—	—	S
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	—	—	—	—	—	O	—
F-350 DRW	6.2L 2V Gas SOHC EFI NA V8	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	—	—	—	O	—	—	—
	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	—	—	—	O	—	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	—	—	O	—	—	—	—
F-450	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	S	—	O	—	—	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	—	—	O ¹	—	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	—	—	S ²	—	—	—
	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	S	—	—	O	—	—
F-550	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	S	—	O	—	—	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	—	—	—	O ³	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	—	—	O ⁴	—	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	—	—	S ⁵	—	—	—
	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	S ⁶	—	—	O	—	—
F-600	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	—	—	—	S	—	—
	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	—	—	—	S	—	—

¹ Requires Trailer Tow Package – High Capacity (535)² Standard when Extra Heavy Duty Front End Suspension (67P)³ Requires Payload Upgrade Package (68M). Also available with Trailer Tow Package – High Capacity (535) when ordered with Payload Upgrade Package (68M)⁴ Requires Trailer Tow Package – High Capacity (535) with Payload Downgrade Package (68D) or Trailer Tow Package – High Capacity (535) with Base Payload⁵ Standard when Extra Heavy Duty Front End Suspension (67P) is ordered unless 4.88 LS is already selected⁶ Not available with the Payload Upgrade Package (68U) or Payload Plus Upgrade Package (68M)

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

S = Standard, O = Optional, P = Packaged Option

★ = New for this model year

2021 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600) FUNCTIONAL EQUIPMENT

F-350 6.2L Gas Chassis Cab Alternator Application Chart	6.2L Gas		
	XL	XLT	Lariat
Base - All Chassis Cabs Include Upfitter Switches	SC5 200A	SC7 240A	SC7 240A
Snow Plow Package	SC5 200A	SC7 240A	SC7 240A
110V Inverter (standard on XLT and Lariat)	SC7 240A	SC7 240A	SC7 240A
ONA = Option Not Available			

F-350/ F-450 / F-550 / F-600 7.3L Gas Chassis Cab Alternator Application Chart	7.3L Gas		
	XL	XLT	Lariat
Base - All Chassis Cabs Include Upfitter Switches	SC7 240A	SC2 + SC7 397A	SC2 + SC7 397A
Snow Plow Package	SC2 + SC7 397A	SC2 + SC7 397A	SC2 + SC7 397A
Dual Batteries	397	397	397
110V Inverter (standard on XLT and Lariat)	SC2 + SC7 397A	SC2 + SC7 397A	SC2 + SC7 397A
110V Inverter & Snow Plow Prep	SC2 + SC7 397A	SC2 + SC7 397A	SC2 + SC7 397A
ONA = Option Not Available			

F-350/ F-450 / F-550 / F-600 6.7L Diesel Chassis Cab Alternator Application Chart	6.7L Diesel		
	XL	XLT	Lariat
Base - All Chassis Cabs Include Upfitter Switches	SC7 240A	SC2 + SC3 332A	SC2 + SC3 332A
Snow Plow Package	SC2 + SC3 332A	SC2 + SC3 332A	SC2 + SC3 332A
110V Inverter (standard on XLT and Lariat)	SC2 + SC3 332A	SC2 + SC3 332A	SC2 + SC3 332A
110V Inverter & Snow Plow Prep	SC2 + SC3 332A	SC2 + SC3 332A	SC2 + SC3 332A
Ambulance OR Fire Prep	SC2 + SC7 397A	SC2 + SC7 397A	ONA
Rapid Heat	SC2 + SC7 397A	SC2 + SC7 397A	SC2 + SC7 397A
ONA = Option Not Available			

LEGEND:

Single SC5 - 200A

Single SC7 - 240A

Single SC7 - 67D (6.7L)

Dual SC2 and SC3 - 332A - 67A

Dual SC2 and SC7 - 397A - 67B

Option Not Available (ONA)

2021 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)
FUNCTIONAL EQUIPMENT

WHEEL AVAILABILITY – SRW ONLY



17" Argent Painted Steel
w/painted hub
cover/center ornament
(Opt. on XL and XLT) –
64A



18" Argent Painted Steel
w/painted hub
cover/center ornament
(Std. on XL F-350 SRW)
– 64F


**Wheel Image Coming
Soon**

18" Sparkle Silver
Painted Cast Aluminum
w/bright hub cover/center
ornament
(Std. on XLT F-350 SRW)
– 648

**Wheel Image Coming
Soon**

18" Bright Machined Cast
Aluminum w/Magnetic
Painted Pockets and
bright hub cover/center
ornament
(Std. on Lariat) – 64C

WHEEL AVAILABILITY – DRW ONLY



17" Argent Painted Steel
(hub covers/center
ornament not included)
(Std. on XL and XLT F-
350) – 64K



17" Forged Polished
Aluminum w/bright hub
cover/center ornament
(Std. on Lariat F-350;
Opt. on XL and XLT F-
350) – 64J

**Wheel image coming
soon**

19.5" Argent Painted
Steel (19.5"x6.75"; std on
XL and XLT F-600)



19.5" Argent Painted
Steel (19.5"x6"; hub
cover/center ornament
not included; Std. on XL
and XLT F-450 and F-
550) – 64Z

**Wheel image coming
soon**

19.5" Forged Polished
Aluminum w/bright hub
cover/center ornament;
19.5"x6.75" (Opt. on XLT
F-600)



19.5" Forged Polished
Aluminum w/bright hub
cover/center ornament;
19.5"x6" (Std. on Lariat F-
450 and F-550; Opt. on
XLT F-450 and F-550) –
64D



17" or 19.5" Stainless
Steel Wheel Covers
(Front & Rear) (Opt. on
XL and XLT) – 945

08/10/20

2021 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)

PROPRIETARY

OPTIONAL EQUIPMENT

	Order Code	XL					XLT					LARIAT			
		F-350		F-450	F-550	F-600	F-350		F-450	F-550	F-600	F-350		F-450	F-550
		SRW	DRW				SRW	DRW				SRW	DRW		
		630A	640A	650A	660A	680A	633A	643A	653A	663A	683A	638A	648A	658A	668A
BODYSTYLE & WHEELBASE															
Regular Cab 4X2 – Cab to Axle 60"	145"	F3E	F3G	F4G	F5G	F6K	F3E	F3G	F4G	F5G	F6K	—	—	—	—
Regular Cab 4X2 – Cab to Axle 84"	169"	—	F3G	F4G	F5G	F6K	—	F3G	F4G	F5G	F6K	—	—	—	—
Regular Cab 4X2 – Cab to Axle 108"	193"	—	—	F4G	F5G	F6K	—	—	F4G	F5G	F6K	—	—	—	—
Regular Cab 4X2 – Cab to Axle 120"	205"	—	—	F4G	F5G	F6K	—	—	F4G	F5G	F6K	—	—	—	—
Regular Cab 4X4 – Cab to Axle 60"	145"	F3F	F3H	F4H	F5H	F6L	F3F	F3H	F4H	F5H	F6L	—	—	—	—
Regular Cab 4X4 – Cab to Axle 84"	169"	—	F3H	F4H	F5H	F6L	—	F3H	F4H	F5H	F6L	—	—	—	—
Regular Cab 4X4 – Cab to Axle 108"	193"	—	—	F4H	F5H	F6L	—	—	F4H	F5H	F6L	—	—	—	—
Regular Cab 4X4 – Cab to Axle 120"	205"	—	—	F4H	F5H	F6L	—	—	F4H	F5H	F6L	—	—	—	—
SuperCab 4X2 – Cab to Axle 60"	168"	X3E	X3G	X4G	X5G	—	X3E	X3G	X4G	X5G	—	X3E	X3G	X4G	X5G
SuperCab 4X2 – Cab to Axle 84"	192"	—	—	X4G	X5G	—	—	—	X4G	X5G	—	—	—	X4G	X5G
SuperCab 4X4 – Cab to Axle 60"	168"	X3F	X3H	X4H	X5H	—	X3F	X3H	X4H	X5H	—	X3F	X3H	X4H	X5H
SuperCab 4X4 – Cab to Axle 84"	192"	—	—	X4H	X5H	—	—	—	X4H	X5H	—	—	—	X4H	X5H
Crew Cab 4X2 – Cab to Axle 60"	179"	W3E	W3G	W4G	W5G	—	W3E	W3G	W4G	W5G	—	W3E	W3G	W4G	W5G
Crew Cab 4X2 – Cab to Axle 84"	203"	—	—	W4G	W5G	—	—	—	W4G	W5G	—	—	—	W4G	W5G
Crew Cab 4X4 – Cab to Axle 60"	179"	W3F	W3H	W4H	W5H	—	W3F	W3H	W4H	W5H	—	W3F	W3H	W4H	W5H
Crew Cab 4X4 – Cab to Axle 84"	203"	—	—	W4H	W5H	—	—	—	W4H	W5H	—	—	—	W4H	W5H
ENGINE/TRANSMISSION															
6.2L 2 Valve Gas SOHC EFI NA V8 (Flex Fuel)/TorqShift® Ten-Speed 10R140 with Neutral Idle Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery	996/44G	S	S	—	—	—	S	S	—	—	—	S	S	—	—
★3L 2V DEVCT NA PFI V8 Gas/TorqShift® Ten-Speed 10R140 with Neutral Idle Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery	99N/44G	O	O	S	S	S	O	O	S	S	S	O	O	S	S
6.7L 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine-Exhaust Braking/TorqShift® Ten-Speed 10R140 with Neutral Idle Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery w/Transmission Power Take-Off Provision	99T/44G	O	O	O	O	O	O	O	O	O	O ¹	O	O	O	O
WHEELS															
4-Wheels (SRW); 6 Wheels (DRW). Spare Wheel included with Spare Tire.															
17" Argent Painted Steel Wheel w/Painted Hub Covers/Center Ornaments (req. 6.2L Gas (996) or 6.7L Diesel (99T) and Payload Downgrade Package (68D); NA w/7.3L Gas (99N))	64A	O	—	—	—	—	O	—	—	—	—	—	—	—	—
17" Argent Painted Steel (Hub Covers/Center Ornaments not included)	64K	—	S	—	—	—	—	S	—	—	—	—	—	—	—
17" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner)	64J	—	O	—	—	—	—	O	—	—	—	—	S	—	—
18" Argent Painted Steel w/Painted Hub Cover/Center Ornaments	64F	S	—	—	—	—	—	—	—	—	—	—	—	—	—
18" Bright Machined Cast Aluminum w/Magnetic Painted Pockets and Bright hub Covers/Center Ornaments	64C	—	—	—	—	—	—	—	—	—	—	S	—	—	—
18" Sparkle Silver Painted Cast Aluminum w/Bright Hub Covers/Center Ornaments	648	—	—	—	—	—	S	—	—	—	—	—	—	—	—
19.5" Argent Painted Steel (19.5"x 6")	64Z	—	—	S	S	—	—	—	S	S	—	—	—	—	—
19.5" Argent Painted Steel (19.5"x 6.75")	64B	—	—	—	—	S	—	—	—	—	S	—	—	—	—
19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6")	64D	—	—	—	—	—	—	—	O	O	—	—	—	S	S
19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75")	64M	—	—	—	—	—	—	—	—	—	O	—	—	—	—
TIRES															
4 Tires (SRW); 6 Tires (DRW)															
Spare Tire required in Rhode Island, optional in all other states. Spare may not be the same as road tire. Ford reserves the right to shift tire manufacturers to meet production capacity demands.															
LT245/75Rx17E BSW A/S PLU (F-350 SRW req. 6.2L Gas (996) and Payload Downgrade Package (68D))	TD8	O	S	—	—	—	O	S	—	—	—	—	S	—	—
LT245/75Rx17E BSW A/T (F-350 SRW req. 6.2L Gas (996) and Payload Downgrade Package (68D))	TBM	O	O	—	—	—	O	O	—	—	—	—	O	—	—
LT245/75Rx17E OWL A/T (DRW inner rear)	TBL	—	—	—	—	—	—	O	—	—	—	—	O	—	—
LT265/70Rx17E OWL A/T(F-350 SRW req. 6.2L Gas (996) Payload Downgrade Package (68D))	TCD	O	—	—	—	—	O	—	—	—	—	—	—	—	—

¹ F-600 w/ Diesel on Late Availability

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

□ = New for this model year

S = Standard, O = Optional, P = Packaged Option

F = Fleet Only Option

OPTIONAL EQUIPMENT

	Order Code	XL					XLT					LARIAT				
		F-350		F-450	F-550	F-600	F-350		F-450	F-550	F-600	F-350		F-450	F-550	
		SRW	DRW				SRW	DRW				SRW	DRW			
		630A	640A	650A	660A	680A	633A	643A	653A	663A	683A	638A	648A	658A	668A	
TIRES																
4 Tires (SRW); 6 Tires (DRW)																
Spare Tire required in Rhode Island, optional in all other states. Spare may not be the same as road tire. Ford reserves the right to shift tire manufacturers to meet production capacity demands. (continued)																
LT275/65Rx18E BSW A/S	TCH	S	—	—	—	—	S	—	—	—	—	S	—	—	—	—
LT275/70Rx18E BSW A/T Plus, 4X4	TDX	O	—	—	—	—	O	—	—	—	—	O	—	—	—	—
LT275/70Rx18E OWL A/T, 4X4	TDU	—	—	—	—	—	O	—	—	—	—	O	—	—	—	—
225/70Rx19.5G BSW A/P (NA w/ XLT Regular Cab 4x2)	TGJ	—	—	S	S	—	—	—	S	S	—	—	—	S	S	—
245/70RX19.5G BSW A/P	TD5	—	—	—	—	S	—	—	—	—	S	—	—	—	—	—
225/70Rx19.5G BSW A/P – 4x2 only	THB	—	—	—	—	—	—	—	S-1	S-1	—	—	—	—	—	—
225/70Rx19.5G BSW Traction (includes 4 traction tires on the rear and 2 A/P tires on the front.) – 4x2 only	THC	—	—	—	—	—	—	—	O-1	O-1	—	—	—	—	—	—
225/70Rx19.5G BSW Traction (includes 4 traction tires on the rear and 2 A/P tires on the front.; NA w/ XLT Regular Cab 4x2)	TGM	—	—	O	O	—	—	—	O	O	—	—	—	O	O	—
225/70Rx19.5G BSW Traction, 4X4 (includes 4 traction tires on the rear and 2 traction tires on the front. Not recommended for over the road applications; could incur irregular front tire wear and/or NVH.)	TGK	—	—	O	O	—	—	—	O	O	—	—	—	O	O	—
245/70RX19.5 BSW Traction (includes 6 traction tires.)	TGT	—	—	—	—	O	—	—	—	—	O	—	—	—	—	—
245/70Rx19.5 BSW Traction (includes 4 traction tires on the rear and 2 A/P tires on the front.)	TGU	—	—	—	—	O	—	—	—	—	O	—	—	—	—	—
Spare Tire, Wheel and Jack (Excludes carrier; includes Hydraulic Jack (61J); required in RI)	512	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Jack (Two-ton Mechanical – F-350 SRW / Four-ton Hydraulic – F-350 DRW / Six-ton Hydraulic – F-450, F-550 & F-600) (required in RI)	61J	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Spare Tire and Wheel Delete (only available to Pool Accounts for sales to RI)	51D	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
GROUPS/PACKAGES (see Packaged Options/Emissions pages for complete content and restrictions)																
Trailer Tow Package (NA w/F-600A)	531			O					—					—		
XL Value Package	96V			O					—					—		
Power Equipment Group	90L			O					S					S		
XLT Value Package	17V			—					O					—		
Lariat Value Package	96L			—					—					O		
Heavy-Service Front Suspension Package (NA w/F-600)	67H			O					O					O		
Extra Heavy-Service Suspension Package (NA w/F-600)	67X			O					O					O		
Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only; std on F-600 (requires 4.30 or 4.88 axle)	67P			O					O					O		
Payload Downgrade Package (see extended description for details) (avail. on F-350 SRW and req. Center High-Mounted Stop Lamp (CHMSL) (59H) and 26.5 mid ship fuel tank (65M); avail. On F-450 & F-550; NA w/ 7.3L (99N) or 6.7L (99T) engines on F-350 SRW)	68D			O					O					O		
16,000 GVWR Package (avail. on F-450 only)	68L			O					O					O		
Payload Upgrade Package (F-550 only w/7.3L Gas and 145" WB)	68U			O					O					—		
Payload Plus Upgrade Package (avail. on F-550 only)	68M			O					O					O		
Snow Plow Prep Package (req. 4x4 on F-350) Note: Reference alternator chart for required engine / alternator requirements	473			O					O					O		
Trailer Tow Package – High Capacity (avail. on F-450 & F-550 only; reqs. 6.7L Engine (99T))	535			O					O					O		
Low Deflection Package (avail. on F-450, F-550 & F-600 only (NA w/4x4 w/145"WB))	86S			O					O					O		
CNG/Propane Gaseous Engine Prep Package (req. 7.3L Gas Engine w/ F-450, F-550 or F-600)	98G			O					O					O		
CNG/Propane Gaseous Engine Prep Package (avail. on F-350 w/6.2L engine only)	98F			O					O					O		
Wrecker Package (avail. on F-450 only; req. 145" WB)	474			O-1					O-1					—		

08/10/20

2021 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)

PROPRIETARY

OPTIONAL EQUIPMENT

	Order Code	XL					XLT					LARIAT			
		F-350		F-450	F-550	F-600	F-350		F-450	F-550	F-600	F-350		F-450	F-550
		SRW	DRW				SRW	DRW				SRW	DRW		
		630A	640A	650A	660A	680A	633A	643A	653A	663A	683A	638A	648A	658A	668A
FUNCTIONAL															
Aft-Axle Frame Extension (req. 145" or 169" wheelbase) – F-450/F-550/F-600 only (145" Wheelbase/60" CA – 42.4" aft-of-axle frame extension increases AF dimension to 89.4") (169" Wheelbase/84" CA – 32.4" aft-of-axle frame extension increases AF dimension to 79.6")	63C			O					O					—	
Engine Block Heater	41H			O					O					O	
Skid Plates – Transfer Case (4X4 only)	41P			O					O					O	
Transmission Power Take-Off Provision (all engines include Mobile and Stationary PTO modes; 6.2L req. 4.30 final drive ratio; std on 6.7L Power Stroke® Diesel engine; std on F-600A)	62R			O					O					O	
Programmable Engine Idle Shutdown – 5 minute	86A			O					O					—	
Programmable Engine Idle Shutdown – 10 minute	86B			O					O					—	
Programmable Engine Idle Shutdown – 15 minute	86C			O					O					—	
Programmable Engine Idle Shutdown – 20 minute	86D			O					O					—	
Operator Commanded Regeneration (req. 6.7L Power Stroke® Diesel engine)	98R			O					O					—	
Dual Battery (Dual 78 AH; req. 6.2L Gas or 7.3L Gas engine; std on XL w/ 110V/400W Outlet (43C) and 7.3L Gas engine; std on XLT and Lariat w/ 7.3L Gas engine)	86M			S/O					S/O					S/O	
Upfitter Interface Module	18A			O					O					O	
Alternators (*Refer to alternator charts on pg. 7 for further details)															
332 Amp Alternators (req. 6.7L Power Stroke® Diesel engine; required with 110V/400W Outlet (43C) and Snow Plow Pkg. (473) when the 6.7L is ordered; NA 6.2L)	67A			S					S					S	
397 Amp Alternators (req. 6.7L Power Stroke® Diesel engine; required with Rapid-Heat Supplemental Cab Heater (41A), Ambulance (47A/47L) or Fire Truck (47J/47K); req. 7.3L Gas reqs. Dual Battery (86M) – std on Lariat, required with 110V/400W Outlet (43C) or Snowplow (473) on XL & XLT; NA 6.2L or 6.8L)	67B			S/O					S/O					S/O	
240 Amp Alternator (Opt. XL/XLT w/6.2L engine; required with 110V/400W Outlet (43C) and Snow Plow Pkg. (473) when the 6.2L is ordered; NA w/67A or 6.7L)	67E			S/O					S/O					S	
Fuel Tanks															
26.5 Gallon Mid Ship (NA w/193" WB Regular Cabs & 203.4" WB Crew Cabs equipped w/gas engines; included with F-350 SRW w/Payload Downgrade Pkg. (68D); removes 40 gallon fuel tank)	65M			O					O					O	
Dual Diesel – combines 40 gallon aft-of-axle & 26.5 gallon mid ship tank (req. DRW)	65C			O					O					—	
Trailer Towing Equipment															
Manual Telescoping, Folding Trailer Tow Mirrors with Power/Heated Glass, Heated Convex Spotter Mirror	546			P-90L					—					—	
Manual Telescoping, Folding Trailer Tow Mirrors with Power/Heated Glass, Heated Convex Spotter Mirror, Integrated Clearance Lamps/Turn Signals; req. Utility Lighting System (63A) and Power Equipment Group (90L) on XL	54K			O					S					—	
Manual Telescoping, Folding Trailer Tow Mirrors with Power/Heated Glass, Heated Convex Spotter Mirror, Integrated Clearance Lamps/Turn Signals, 102" Width; DRW only; req. Power Equipment Group (90L) on XL; NA w/ 6.2L gas engine (996) or F-350 4x2; Utility Lighting System (63A) is std on XL and XLT)	54L			O-1					O-1					—	

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only
☐ = New for this model year

S = Standard, O = Optional, P = Packaged Option
 F = Fleet Only Option

08/10/20

2021 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)

PROPRIETARY

OPTIONAL EQUIPMENT

	Order Code	XL					XLT					LARIAT			
		F-350		F-450	F-550	F-600	F-350		F-450	F-550	F-600	F-350		F-450	F-550
		SRW	DRW				SRW	DRW				SRW	DRW		
		630A	640A	650A	660A	680A	633A	643A	653A	663A	683A	638A	648A	658A	668A
FUNCTIONAL (continued)															
Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights)	54F			—					O					S	
Utility Lighting System (LED Side-mirror Spotlights) (req. Manual Telescoping (54K); std on XLT when ordering 54F)	63A			O					O/S					S	
Trailer Brake Controller (TBC) (Verified to be compatible with electronic actuated drum brakes only. NA w/531 Trailer Tow Pkg.; includes Smart Trailer Tow Connector)	52B			O					S					S	
Steps															
Platform Running Boards	18B			O					O					O	
KEY EXTERIOR OPTIONS															
Audible Lane Departure Warning (reqs. Pre-Collision Assist with Automatic Emergency Braking (AEB) and Forward Collision Warning)	60C			O					O					O	
Pre-Collision Assist with Automatic Emergency Braking (AEB), Automatic High Beam and Forward Collision Warning	94P			O					O					O	
Center High-Mounted Stop Lamp (CHMSL) (opt. for vehicles with GVWR over 10,000 lbs.; required with Payload Downgrade Package (68D) for vehicles with GVWR 10,000 lbs. or less)	59H			O					O					O	
Rear View Camera and Prep Kit (includes loose camera, wiring bundle); required on 10,000 GVWR and under	872			O					O					O	
FOG Lamps (reqs. XL Décor (17F) on XL	595			O					O					S	
Rain-Sensing Windshield Wipers	60W			—					—					O	
Front License Plate Bracket															
Note: See "Emissions" section for additional information	153			O					O					O	
Rear-windows															
Defrost with Fixed and Privacy Glass (Privacy Glass is standard on XLT; XL req. Privacy Glass (924) and XL Power Equipment Group (90L))	43B			O					O					—	
Power-Sliding w/Defrost and Privacy Glass (XL req. 90L Power Equipment Group; 924 Privacy Glass is standard on XLT)	435/924			O-2,3					O-2,3					S	
KEY INTERIOR OPTIONS															
Floor Mats, All-Weather (Doesn't include carpet floor mats)	16T			—					O-2,3					O-2,3	
Carpet Delete (XLT & Lariat replaced w/black flooring)	166			S					O					O	
Power-Adjustable Pedals	62M			—					O					S	
Rapid-Heat Supplemental Cab Heater (Optional in all states with 6.7L Power Stroke® Diesel engine)	41A			O					O					O	
110V/400W Outlet (with 40/20/40 seats, there is one in-dash mounted outlet; 2 nd outlet in the console req. 40/Console/40 seats; req. 332 Amp Alternator (67A) when 6.7L Power Stroke® Diesel engine is ordered and 240 Amp Alternator (67E) when the 6.2L 2 Valve Gas Engine is ordered and the 397 Amp Alternators (67B) when 7.3L Gas is ordered	43C			O					S					S	
Remote Start System (req. 90L Power Equipment Group)	76S			O					O					O P-96L	

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only
☐ = New for this model year

S = Standard, O = Optional, P = Packaged Option
 F = Fleet Only Option

08/10/20

2021 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)

PROPRIETARY

OPTIONAL EQUIPMENT

	Order Code	XL					XLT					LARIAT			
		F-350		F-450	F-550	F-600	F-350		F-450	F-550	F-600	F-350		F-450	F-550
		SRW	DRW				SRW	DRW				SRW	DRW		
		630A	640A	650A	660A	680A	633A	643A	653A	663A	683A	638A	648A	658A	668A
KEY INTERIOR OPTIONS (continued)															
Audio SYNC® 3 – Enhanced Voice Recognition Communication and Entertainment System – 8" LCD Capacitive Touchscreen in Center Stack with Swipe Capability – Pinch-to-Zoom capability included with available Voice-Activated Touchscreen Navigation System – AppLink® – 911 Assist® – Apple CarPlay™ and Android Auto™ – Smart-Charging USB-C Ports – two (2) Note: SYNC® AppLink® lets you control some of your favorite compatible mobile apps with your voice. It is compatible with select smartphone platforms. Commands may vary by phone and AppLink® software.	913								S					S	
SiriusXM® Radio ² (Includes a 6-month prepaid subscription. Service is not available in Alaska and Hawaii.); adds one (1) I/P mounted center speaker on XL only	39S			O					S					S	
Voice-activated Navigation with HD and SiriusXM Radio ² Traffic and Travel Link® (SiriusXM Traffic and Travel Link® includes a 5-year prepaid subscription. Services are not available in Alaska and Hawaii)	21N								O					O	
Front-Seats (See Color & Trim Availability page for additional information)															
Cloth, 40/20/40 Split Bench	1			O											
Vinyl, 40/Mini Console/40	L			O											
Cloth, 40/Mini Console/40	4			O											
Cloth, 40/Console/40	2								O-2,3						
Leather, 40/20/40 Split Bench	6													O	
Driver Heated Seat w/ Variable Temperature – req. XLT Value Pkg (17V) and Power-Sliding w/Defrost (435) or Defrost with Fixed (43B)	90A								O-2,3						
Rear-Seats															
Heated Seats (req. 40/Console/40 front-seat; req. 96L Lariat Value Pkg.)	90R													O-3	
LPO/FLEET OPTIONS (Requires Valid FIN Code) (see Packaged Options/Emissions pages for complete content and restrictions on packages)															
Aerial Lift / Severe Duty Prep Package (req. Payload Plus Upgrade Package (68M) or Payload Upgrade Package (68U) and 4.88 Limited-slip rear-axle (X8L); NA w/ 26.5 Gallon (65M) or Dual Diesel fuel tank (65C); F-550 only)	76X			F					F					F	
Ambulance Prep Package – req. 6.7 Power Stroke® Diesel Engine (99T) or 7.3L Gas	47A			F					F						
Ambulance Prep Package w/EPA Special Emergency Vehicle Emissions – req. 6.7 Power Stroke® Diesel Engine (99T)	47L			F					F						
Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine – req. 6.7 Power Stroke® Diesel Engine (99T)	47J			F					F						
Cruise Control (steering wheel-mounted)	525			F											
Daytime Running Lamps (DRL) (the non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL) (On/Off Cluster Controllable)	942			F					F						
Speed Limitation – 65-mph governed top speed	926			F					F						
Speed Limitation – 75-mph governed top speed	927			F					F						
TPMS Delete (optional on F-350 SRW over 10,000 lbs. GVWR)	18L			F					F					F	
Bright Grille (reqs. XL Décor Group (17F))	63G			F					S						
LPO/FLEET OPTIONS (Requires Valid FIN Code) (see Packaged Options/Emissions pages for complete content and restrictions on packages) (continued)															
XL Décor Group	17F			F											

² Subscriptions to all SiriusXM® services are sold by SiriusXM after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc.

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only
☐ = New for this model year

S = Standard, O = Optional, P = Packaged Option
 F = Fleet Only Option

08/10/20

2021 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)

PROPRIETARY

OPTIONAL EQUIPMENT

	Order Code	XL					XLT					LARIAT			
		F-350		F-450	F-550	F-600	F-350		F-450	F-550	F-600	F-350		F-450	F-550
		SRW	DRW				SRW	DRW				SRW	DRW		
		630A	640A	650A	660A	680A	633A	643A	653A	663A	683A	638A	648A	658A	668A
FORD ACCESSORIES, PRE-INSTALLED															
Hood Deflector – Black Molded	87H			O					O					O	
Vehicle Safe by Console Vault (reqs. Seat-Bucket 40/console/40)	21X			—					O					O	
Exterior Backup Alarm	76C			O					O					O	
LED Warning Strokes – Amber (req. Center High-mounted Stop Lamp (CHMSL); includes center high-mounted stop light bar and two (2) hood mounted lights)	91S			O					O					O	
LED Warning Strokes – Amber-White (req. Center High-mounted Stop Lamp (CHMSL); includes center high-mounted stop light bar and two (2) hood mounted lights)	91G			O					O					O	
Splash Guards/Mud Flaps – Front only (optional on F-350 only)	61S			O					O					O	
Stainless Steel Wheel Covers – Front & Rear (NA F-350 SRW; req. 64K 17" Argent Painted Steel Wheel or 64Z 19.5" Argent Painted Steel Wheel)	945			O					O					—	
Wheel Well, Front	61L			O					O					O	

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only
☐ = New for this model year

S = Standard, O = Optional, P = Packaged Option
 F = Fleet Only Option

08/10/20

2021 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)

PROPRIETARY

COLOR & TRIM AVAILABILITY

		INTERIOR AND SEAT COLOR		
INTERIOR COLOR		Medium Earth Gray	Camel	Black
XL	• HD Vinyl, 40/20/40 Split Bench w/center armrest and cupholder manual lumbar (driver's side only) • Cloth, 40/20/40 Split Bench w/center armrest, cupholder and manual lumbar (driver's side only) • Vinyl, 40/Mini Console/40 manual lumbar (driver's side only) • Cloth, 40/Mini Console/40 manual lumbar (driver's side only)	AS		
		1S		
		LS		
		4S		
XLT	• Cloth, 40/20/40 split bench, 20% center under-seat storage, w/center armrest, cupholder and storage, two-way adjustable driver/passenger headrests, manual lumbar (driver's side only) • Cloth, 40/Console/40; two-way adjustable driver/passenger headrests manual lumbar (driver's side only); Flow-through Console with 110V/400W outlet in rear (SuperCab & Crew Cab Only).	3S	3A	
		2S	2A	
Lariat	• Front, leather seating surfaces, 40/Console/40; 10-way power driver and 8-way front passenger seating, two-way adjustable driver/passenger headrests, matching 60/40 Rear Bench w/partitioned locking under-seat storage and 12V Powerpoint, Flow-through Console with 110v/150w Inverter outlet in rear. • Front, leather seating surfaces, 40/20/40 Split Bench; 10-way power driver and 8-way passenger seating, two-way adjustable driver/passenger headrests, matching 60/40 Rear Bench w/partitioned locking under-seat storage and 12V Powerpoint		5A	5B
			6A	6B
EXTERIOR COLOR		MONOTONE	Availability	
XL				
Agate Black ¹		UM	•	
★Antimatter Blue ¹		HX	•	
★Carbonized Gray ¹		M7	•	
Iconic Silver ¹		JS	•	
Oxford White		Z1	•	
Race Red		PQ	•	
Stone Gray ¹		D1	•	
XLT				
Agate Black ¹		UM	•	•
★Antimatter Blue ¹		HX	•	•
★Carbonized Gray ¹		M7	•	
Iconic Silver ¹		JS	•	•
★Lithium Gray ¹		TB		•
Oxford White		Z1	•	•
Race Red		PQ	•	•
Rapid Red Metallic Tinted Clearcoat ^{2, 3}		D4	•	•
Stone Gray ¹		D1	•	•
Velocity Blue ^{1, 3}		E7	•	•
LARIAT				
Agate Black ¹		UM		•
★Antimatter Blue ¹		HX		•
★Carbonized Gray ¹		M7		•
Iconic Silver ¹		JS	•	•
★Lithium Gray ¹		TB	•	•
Oxford White		Z1	•	•
Race Red		PQ	•	•
Rapid Red Metallic Tinted Clearcoat ²		D4	•	•
Star White Metallic Tri-Coat ²		AZ	•	•
Stone Gray ¹		D1	•	•
Velocity Blue ¹		E7	•	•

¹ Metallic² Extra Charge Paint³ NA w/ ★F-600, XLT F-450/550 Regular Cab 4x2, Manual Telescoping Mirror w/102" width (54L) and Aft-Axle Frame Extension (63C)

★ = New for this model year

• = Available

Ford Division

08/10/20

2021 SUPER DUTY® CHASSIS CAB

PROPRIETARY

(F-350CC / F-450CC / F-550 / F-600)

COLOR & TRIM AVAILABILITY

FLEET ONLY EXTERIOR COLORS – (REQUIRES VALID FIN CODE) ⁴	MONOTONE	Availability		
XL				
Green ³	GR	•		
Green Gem ³	W6	•		
Orange ³	MB	•		
School Bus Yellow	BY	•		
Vermillion Red ³	E4	•		
Yellow ³	AT	•		
XLT				
Green ³	GR	•	•	
Green Gem ³	W6	•	•	
Orange ³	MB	•	•	
School Bus Yellow	BY	•	•	
Vermillion Red ³	E4	•	•	
Yellow ³	AT	•	•	

⁴ Fleet only exterior colors will be priced as VSO colors.

★ = New for this model year

• = Available

PACKAGED OPTIONS/EMISSIONS

XL VALUE PACKAGE (96V)**Availability:**

- Optional on XL

Includes:

- Bright chrome hub covers and center ornaments (F-350 SRW only)
- Chrome front bumper
- Cruise Control (steering wheel-mounted)

XL DÉCOR GROUP (17F)**Availability:**

- Optional on XL (Fleet Only)

Includes:

- Bright chrome hub covers and center ornaments (F-350 SRW only)
- Chrome front bumper

Options Available:

- Chrome/Bright Grille (63G)

POWER EQUIPMENT GROUP (90L)**Availability:**

- Optional on XL
- Standard on XLT and Lariat

Includes:

- Accessory Delay
- Advanced Security Pack (Incl. SecuriLock® Passive Anti-Theft System (PATS) and Inclinon / Intrusion Sensors)
- Manual Telescoping, Folding Trailer Tow Mirrors with Heated Glass (XL Only)
- Manual Telescoping, Folding Trailer Tow Mirrors with Power/Heated Glass, Heated Convex Spotter Mirror, Integrated Clearance Lamps/Turn Signals (54K) (XLT Only)
- MyKey® owner controls feature
- Power 1st row (front-seat) windows w/one-touch up/down
- Power 2nd row (rear-seat) windows (Super/Crew Cab)
- Power locks
- Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights) (54F) (Lariat only)
- Remote keyless entry
- SecuriLock® Passive Anti-Theft System (PATS) (XLT and Lariat Only)
- Upgraded door-trim panel XL

Deletes:

- Passenger side lock cylinder

Options Available:

- Manual Telescoping, Folding Trailer Tow Mirrors with Power/Heated Glass, Heated Convex Spotter Mirror, Integrated Clearance Lamps/Turn Signals (54K) (XL Only)
- Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights) (54F) (XLT only)

XLT VALUE PACKAGE (17V)**Availability:**

- Optional on XLT

Includes:

- Autolock/Auto unlock
- Power Driver's Seat (eight-way)
- Rear Under Seat Storage (NA w/ Regular Cab)
- SecuriCode™ keyless entry keypad (driver's side)

LARIAT VALUE PACKAGE (96L)**Availability:**

- Optional on Lariat

Includes:

- Easy Entry/Exit Memory Driver's Seat Feature
- Power-Adjustable Pedals with Memory
- Power Heated/Ventilated Driver/Passenger Seat with Driver Side Memory
- PowerScope® Trailer Tow Mirrors with Memory
- Remote Start System

WRECKER PACKAGE (474)**Availability:**

- Optional on XL and XLT F-450

Not available with:

- Heavy-Service Front Suspension Package (67H)
- Snow Plow Prep Package (473)
- Extra Heavy-Service Suspension Package (67X)
- Extra Heavy-Duty Front End Suspension – 7,500 FGAWR (67P)

Requires:

- Regular Cab
- 145" WB

Includes:

- 7K Front Springs
- 19.5K Rear Springs
- 2" Rear Spacer Block (4x2 only)

Note 1: May result in a deterioration of ride quality

Note 2: Vehicle ride height will increase w/the addition of this package

TRAILER TOW PACKAGE (531)**Availability:**

- Optional on XL

Not available with:

- Ambulance Prep Packages (47A/47L) or Trailer Brake Controller (52B)
- F-600

Includes:

- Aftermarket trailer brake wiring kit
- Trailer Brake Controller not included

NOTE: Salespersons Source Book or Ford RV Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability.

TRAILER TOW PACKAGE – HIGH CAPACITY (535)**Availability:**

- Optional on all F-450 and F-550

Not available with:

- Ambulance Prep Packages (47A/47L)

Requires:

- 6.7L Power Stroke® Diesel engine (99T)
- 4.30 Limited-slip rear-axle (X4L) available on F-450 (or F-550 w/Base Payload or Payload Downgrade Package (68D))
- 4.88 Limited-slip rear-axle (X8L) available on F-550 w/Payload Plus Upgrade Package (68M)

Includes:

- Trailer brake wiring kit (not included if 52B Trailer Brake Controller is ordered)
- Increase GCW on diesel engine from 32,500 lbs. to 35,000 lbs. (F-450)
- Increase GCW on diesel engine from 32,500 lbs. to 40,000 lbs. (F-550)
- Upgraded rear-axle
- Trailer brake controller not included with XL, but can be added on this package via sales code 52B

NOTE: Salesperson's Portfolio or Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and

PACKAGED OPTIONS/EMISSIONS

model availability. See Supplemental Reference for vehicle height consideration.

SNOW PLOW PREP PACKAGE (473)**Availability:**

- Optional on all Chassis Cabs

Not available with:

- Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Packages (47A/47L) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

Requires:

- 4x4 (F-350 only)

Includes:

- Alternator: 6.7L – 332 Amp Alternators (67A)
- Pre-selected springs (See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations)

Options Available:

- 397 Amp Alternators (67B) (diesel only)
- 240 Amp Alternators (67E) 6.2L Gas Engine

NOTE 1: *Restrictions apply; see Supplemental Reference or Body Builders Layout Book for details.*

NOTE 2: *Also allows for the attachment of a winch*

HEAVY-SERVICE FRONT SUSPENSION PACKAGE (67H)**Availability:**

- Optional on all Chassis Cabs

Usage:

- Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Not available with:

- Ambulance Prep Packages (47A/47L), Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J), Snow Plow Prep Package (473) or Extra Heavy-Service Suspension Package (67X)
- F-600A

Includes:

- Heavy-service front springs. (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

NOTE 1: *May result in a deterioration of ride quality.*

NOTE 2: *Vehicle ride height will increase w/the addition of this package*

EXTRA HEAVY-SERVICE SUSPENSION PACKAGE (67X)**Availability:**

- Optional on all Chassis Cabs

Usage:

- Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Not available with:

- Ambulance Prep Packages (47A/47L), Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J), Snow Plow Prep Package (473) or Heavy-Service Front Suspension Package (67H)
- F-600A

Includes:

- Extra heavy-service front springs (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

NOTE 1: *May result in a deterioration of ride quality.*

NOTE 2: *Vehicle ride height will increase w/the addition of this package*

EXTRA HEAVY DUTY FRONT END SUSPENSION – 7500 GAWR (67P)**Availability:**

- Optional on F-450 or F-550
- Standard on F-600

Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer

Not available with:

- Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X)

Includes:

- (3) Unique Front Axle
 - 7500 LB GAWR for 4x2 Chassis
 - 7500 LB GAWR for 4x4 Chassis @ 4.30 Ratio
 - 7500 LB GAWR for 4x4 Chassis @ 4.88 Ratio
- Max 7500 lbs. Front Springs/GAWR rating for configuration selected

AMBULANCE PREP PACKAGE (47A)**Availability:**

- Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances only if equipped w/the Ford Ambulance Prep Package. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle without the Ford Ambulance Package to produce an ambulance voids the Ford warranty

Not available with:

- Snow Plow Prep Package (473), Trailer Tow Package (531), Trailer Tow Package – High Capacity (535), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Package w/Special Emissions (47L) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

Requires:

- 6.7L Power Stroke® Diesel engine (99T)
- 7.3L Gas engine (99N)

Includes:

- 397 Amp Alternator (67B)
- 7000 lbs. Max Front Springs/GAWR rating for configuration selected
- Operator Commanded Regeneration (OCR) – 6.7L Power Stroke® Diesel engine (99T) only
- 4.10 Limited-slip "Wide track" axle included w/F-350 DRW (X4W) – 6.7L Power Stroke® Diesel engine (99T) only

Options Available:

- Electronic-locking rear-axle optional w/F-350 SRW
- "Standard" width 4.10 Limited-slip rear-axle w/DRW (X4N)

NOTE: *Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.*

PACKAGED OPTIONS/EMISSIONS

AMBULANCE PREP PACKAGE W/EPA SPECIAL EMERGENCY VEHICLE EMISSIONS (47L)

Availability:

- Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances with special emissions only if equipped w/the Ford Ambulance Prep Package w/EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle without the Ford Ambulance Package w/EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty

Not available with:

- Snow Plow Prep Package (473), Trailer Tow Package (531), Trailer Tow Package – High Capacity (535), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Package (47A) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

Requires:

- 6.7L Power Stroke® Diesel engine (99T)

Includes:

- 397 Amp Alternator (67B)
- 7000 lbs. Max Front Springs/GAWR rating for configuration selected
- Operator Commanded Regeneration (OCR)
- "Wide track" axle included w/F-350 DRW (X4W)

Options Available:

- Electronic-locking rear-axle optional w/F-350 SRW
- "Standard" width 4.10 Limited-slip rear-axle w/DRW (X4N)

NOTE 1: *Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.*

NOTE 2: *Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO operation*

NOTE 3: *Operator commanded regen allowed down to 30% of DPF filter full, instead of 100%*

NOTE 4: *Must meet the definition of an Emergency Vehicle, "an Ambulance or Fire Truck" per 40 CFR 86.1803.01 in the Federal Register.*

NOTE 5: *California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.*

FIRE/RESCUE PREP PACKAGE W/EPA SPECIAL EMISSIONS – FOR DIESEL ENGINE (47J)

Availability:

- Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford urges fire/rescue vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).

Not available with:

- Snow Plow Prep Package (473), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X) or Ambulance Prep Packages (47A/47L)

Requires:

- 6.7L Power Stroke® Diesel engine (99T)

Includes:

- 397 Amp Alternator (67B)
- 7000 lbs. Max Front Springs/GAWR rating for configuration selected
- Operator Commanded Regeneration (OCR)

NOTE 1: *Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.*

NOTE 2: *Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO operation*

NOTE 3: *Operator commanded regen allowed down to 30% of DPF filter full, instead of 100%*

NOTE 4: *Must meet the definition of an Emergency Vehicle, "an Ambulance or Fire Truck" per 40 CFR 86.1803.01 in the Federal Register.*

NOTE 5: *California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.*

PAYLOAD DOWNGRADE PACKAGE (68D)

Availability:

- Required on F-350 SRW w/17" wheels/tires
- Optional on F-350 SRW w/18" wheels/tires, F-450 and F-550

Not available with:

- 7.3L Gas engine (99N) (F-350 SRW Only)
- 6.7L Power Stroke® Diesel engine (99T) (F-350 SRW Only)

Requires:

- 26.5 mid ship fuel tank (65M) on F-350 SRW
- Center High-Mounted Stop Lamp (CHMSL) (59H) for vehicles with 10,000 lbs. or less Gross Vehicle Weight Rating

Includes:

- 9,800 lbs. Gross Vehicle Weight Rating (F-350 SRW 17" Only)
- 10,000 lbs. Gross Vehicle Weight Rating (F-350 SRW 18" Only)
- 15,000 lbs. Gross Vehicle Weight Rating (F-450 Only)
- 17,500 lbs. Gross Vehicle Weight Rating (F-550 Only)

PAYLOAD UPGRADE PACKAGE (68U)

Availability:

- Optional on XL and XLT F-550 Chassis Cabs 145" wheelbase with 7.3L Gas engine (99N)

Requires:

- 4.88 Limited-slip rear-axle (X8L)

Includes:

- Increased GVWR to 19,000 lbs.
- Upgraded frame
- Upgraded rear-axle

NOTE: *See Order Guide Supplemental Reference for further details on GVWR and payload ranges*

PAYLOAD PLUS UPGRADE PACKAGE (68M)

Availability:

- Optional on F-550

Not available with:

- 4.30 Limited-slip rear-axle
- 145" wheelbase on gas engine

Requires:

- 4.88 Limited-slip rear-axle (X8L)

Includes:

- Increases GVWR from 18,000 lbs. to 19,500 lbs.
- Increases max RGAWR to 14,706
- Low Deflection/High Capacity Rear Springs
- Upgraded frame
- Upgraded rear-axle

Options Available:

- Low Deflection Spacer (86S)

NOTE: *See Order Guide Supplemental Reference for further details on GVWR.*

16,000 GVWR PACKAGE (68L)

Availability:

- Optional on all F-450 Chassis Cabs

Includes:

- Provides 16,000 lbs. Gross Vehicle Weight Rating

PACKAGED OPTIONS/EMISSIONS

LOW DEFLECTION SPACER (86S)**Availability:**

- Optional on F-450, F-550 and F-600 Chassis Cabs

Not available with:

- 4x4 w/145" WB

Usage:

- Recommended for rear-biased loading, such as wrecker/retriever applications

Includes:

- 2" spacer blocks

CNG/Propane GASEOUS ENGINE PREP PACKAGE (98F)**Availability:**

- Optional on all F-350

Requires:

- 6.2L Gas Engine (996)

Includes:

- Hardened Engine Intake Valves and Valve Seats
- Bi-Fuel intake manifold

NOTE: This package does not include CNG/Propane fuel tanks, lines, etc. Vehicle will be equipped with the standard factory gasoline fuel system. Additional equipment combined with Certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/Propane fueled vehicle. See Alternative Fuel Buyers Guide:

www.ford.com/altfuelbuyersguide

Ford Motor Company does not provide an exhaust or evaporative emissions certificate with this option when converted to use CNG or Propane fuel. Ford does not represent that a vehicle converted to use CNG or Propane will comply with all applicable U.S. or Canadian safety standards. It is the responsibility of the final stage manufacturer (body-builder, installer, alterer or subsequent stage manufacturer) to determine that any vehicle converted to use CNG or Propane complies with U.S. Federal, California or Canadian exhaust and evaporative emission requirements, Federal fuel economy standards, U.S. and Canadian safety standards, labeling and any other requirements

CNG/Propane GASEOUS ENGINE PREP PACKAGE (98G)**Availability:**

- Optional on all XL and XLT F-450, F-550 and F-600

Requires:

- 7.3L Gas engine (99N)

Includes:

- Hardened Engine Intake Valves and Valve Seats

NOTE: This package does not include CNG/Propane fuel tanks, lines, etc. Vehicle will be equipped with the standard factory gasoline fuel system. Additional equipment combined with Certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/Propane fueled vehicle. See Alternative Fuel Buyers Guide:

www.ford.com/altfuelbuyersguide

Ford Motor Company does not provide an exhaust or evaporative emissions certificate with this option when converted to use CNG or Propane fuel. Ford does not represent that a vehicle converted to use CNG or Propane will comply with all applicable U.S. or Canadian safety standards. It is the responsibility of the final stage manufacturer (body-builder, installer, alterer or subsequent stage manufacturer) to determine that any vehicle converted to use CNG or Propane complies with U.S. Federal, California or Canadian exhaust and evaporative emission requirements, Federal fuel economy standards, U.S. and Canadian safety standards, labeling and any other requirements

REAR VIEW CAMERA AND PREP KIT (872)**Availability:**

- Optional on all Chassis Cabs

Pre-installed Content Includes:

- Cab Wiring
- Frame Wiring to the rear most cross member

Upfitters kit Includes:

- Camera with mounting bracket
- 20' jumper wire
- Camera mounting and aiming instructions

AERIAL LIFT / SEVERE DUTY PREP PACKAGE (76X)**Availability:**

- Optional on F-550 (Fleet Only)

Usage:

- Recommended on vehicles which will permanently utilize aftermarket equipment such as aerial bucket lifts and heavy lift cranes. Also recommended for applications used in extreme off-road environments such as oil & gas and mining operations.

Not available with:

- 4.30 Limited-slip rear-axle
- Ambulance Prep Packages (47A/47L)
- Fire/Rescue Prep Package w/ EPA Special Emissions – For Diesel Engine (47J) Outboard
- 26.5 Gallon Mid Ship fuel tank (65M)
- Dual Diesel fuel tank (65C)

Requires:

- Payload Plus Upgrade Package (68M) or Payload Upgrade Package (68U)
- 4.88 Limited-slip rear-axle (X8L)

Includes:

- Additional frame req reinforcements

Options Available:

- Low Deflection Spacer (86S)

Vehicle Special Order (VSO)

FLEET ONLY. See www.fmcdealer.com for current VSO Order Guide. This live guide includes VSO option codes, descriptions and pricing. Email ysomail@ford.com or call 1.800.34.FLEET, menu 4 with any VSO questions you may have.

High Sulfur Diesel Fuel Usage

Vehicles for intended usage with diesel fuel sulfur content greater than 15ppm require Euro II (>500ppm sulfur) or Euro III (<500ppm sulfur) packages to avoid engine functionality issues.

Packages are available through Export Order Guide with the appropriate US EPA exemption or verifiable export usage.

NOTE: JP8 fuel is supported and compatible with these packages

Loaded Fuel Capable

NOTE: Post build modification kits are not available. Vehicles must be ordered correctly for the market that they are to be sold and operated in.

European Certified Headlamps

European certified headlamp package is available for export usage through Export Order Guide.

NOTE: Post build modification kits are not available. Vehicles must be ordered correctly for the market that they are to be sold and operated in.

PACKAGED OPTIONS/EMISSIONS**MISCELLANEOUS OPTIONS**

COV required 79V
 Priced DORA C09

**PAYLOAD PACKAGE SELECTOR CHART – Refer to
 Supplemental Reference Section for Payload Information.**

EMISSIONS STANDARD/OPTIONAL EQUIPMENT

50-STATE EMISSIONS SYSTEM 425
 Standard on all Vehicles

**FRONT LICENSE PLATE
 BRACKET**

.....153
 Standard in states requiring two license plates and optional
 to all others.

POWERTRAIN**ENGINE HORSEPOWER AND TORQUE RATINGS***

ENGINE	TRANSMISSION	NOMINAL COMPRESSION RATIO	50-STATE	
			HORSEPOWER	TORQUE
			H.P. @ RPM	FT. LBS. @ RPM
ALL				
6.2L 2V Gas SOHC EFI NA V8 (Flex-Fuel)	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	TBD	TBD @ TBD	TBD @ TBD
7.3L 2V Gas DEVCT NA PFI V8	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	TBD	TBD @ TBD	TBD @ TBD
6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	TBD	TBD @ TBD	TBD @ TBD

(1) 10,000 lbs. GVWR and Under

(2) 10,001 lbs. GVWR and above

FUEL ECONOMY

TRUCKS WITH GROSS VEHICLE WEIGHT RATINGS OVER 8,500 POUNDS ARE NOT INCLUDED IN THE EPA FUEL ECONOMY RATING SYSTEM. FUEL ECONOMY INFORMATION ON THESE MODELS IS GENERALLY NOT AVAILABLE BECAUSE OF WIDE VARIANCES IN VEHICLE LOADING AND OPERATIONAL CONDITIONS BETWEEN VARIOUS CUSTOMER APPLICATIONS.